G-STONE

Calacatta Gold Quartz Slab



Product Description

Calacatta Gold Quartz Slab HF682 features a luxurious white background with elegant grey and gold veining, reminiscent of the prestigious natural Calacatta marble. This premium quartz surface combines beauty with exceptional durability, making it ideal for high-end residential and commercial applications.

Physical Properties

Density	2.45 g/cm³
Water Absorption	0.02%
Hardness (Mohs Scale)	7

Flexural Strength	≥ 50 MPa
Compressive Strength	≥ 200 MPa


Technical Specifications

Slab Size	3050 x 1400 mm (120" x 55")
Thickness	20 mm (3/4") / 30 mm (1-1/4")
Finish	Polished
Edge Profile	Straight, Beveled, Bullnose

Performance Characteristics

Stain Resistance	Excellent
Scratch Resistance	Excellent
Heat Resistance	Up to 150°C (302°F)
UV Resistance	Excellent (Color Stable)
Chemical Resistance	Excellent (except strong alkalis)

Applications



Maintenance & Care

Clean with mild soap and water. Avoid harsh chemicals and abrasive cleaners. Use trivets for hot pans. Quartz is non-porous and does not require sealing.

Certifications & Standards

ISO 9001	Certified
ISO 14001	Certified
GREENGUARD	Certified
NSF/ANSI 51	Certified

For more information or to request samples, please contact G-STONE Email: info@g-stone.com | Phone: +86 13697437088

Website: www.china-countertop.com

Download PDF Version

Note: Technical specifications are subject to change without notice. Please verify with the latest product data sheet.